



Rub Out

Rubs to Absorbancy 60 Spreadability 40 20 Oil Petrolatum C Citrolatum C


Immediate Afterfeel




20 Minute Afterfeel




Appearance



Immediate Residue



20 Minute Residue



About Citrolatum C


Renewability

Citrolatum™ C is sustainably manufactured from naturally-derived feedstocks. It is made to meet the highest standards of the cosmetics and personal care industries. The raw material terpenes are Forest Stewardship Council (FSC)certified pine, and are upcycled via side-stream turpentine from the paper making process.

Biodegradability

Citrolatum™ C is inherently biodegradable according to the OECD 301B biodegradability test.

Transepidermal Water Loss



Representative Properties

Appearance	Yellow, cream
Odor	Faint
Viscosity (mPa·s @ 80°C)	20 - 30
Melting Point (°C)	> 60
Solubility	Soluble in oils



Our Commitment to Sustainability

For every kilo of Citrolatum™ C sold, P2 Science will sponsor the planting of a tree.

Learn more about our Plant a Forest Initiative at http://p2science.com/about-us/.



1 Kilo of Product Sold





1 Tree Planted





1 Ton of CO₂ Absorbed

For more information and samples, please contact:

sales@p2science.com

p2science.com



Elegant Processes. Sustainable Products. The information in this publication is believed to be accurate and is given in good faith but no representation or warranty as to its completeness or accuracy is made. Suggestions for uses or applications are only opinions. Users are responsible for determining the suitability of these products for their own particular purpose. No representation or warranty, express or implied, is made with respect to information or products including without limitation warranties of merchantability or fitness for a particular purpose or non-infringement of any third-party patent or other intellectual property rights including without limit copyright, trademark and designs. Any trademarks identified herein are trademarks of P2 Science, Inc. Please refer to US Patent 10,059,801.